



Order #: 70798
Retail Batch #:
08222022

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Order Information

Order #: 70798
Order Name: NFSKIN 1262 FULL PANEL
Retail Batch #: 08222022
Received: 09/01/2022 15:57:11
Complete: 09/07/2022 15:23:56

Batch Information

Create Date: 08/22/2022
Exp. Date: 02/22/2024
Size: 2

Total Qty.: 0
Matrix: Edible/Food
Pickup Weight: N/A

CANNABINOID PROFILE
TESTED

LABEL CLAIM
NOT APPLICABLE

MICROBIAL ANALYSIS
PASS

RESIDUAL SOLVENTS
PASS

AGRICULTURAL AGENTS
PASS

HEAVY METAL ANALYSIS
PASS

TERPENES
NOT TESTED


MOISTURE ANALYSIS
NOT TESTED

WATER ACTIVITY
NOT TESTED

FILTH & FOREIGN
NOT TESTED

HOMOGENEITY
NOT TESTED

MYCOTOXIN ANALYSIS
PASS




0.042 %
Total THC

0.951 %
Total CBD

1.087 %
Total Cannabinoids

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie FL, 33314
(954) 514-9343





Order #: 70798
Retail Batch #:
08222022

Sample Prep

Tech: 3396
SOP: 418
Batch Number: 55723
Batch Date: 09/06/2022 11:47:30

Sample Analysis

Date/Time: 09/07/2022 11:28:08
Tech: 3396
SOP: 417
Final Weight: 1.0119 g
Volume: 10 ml

CANNABINOID PROFILE

HPLC-DAD

0.042 %
Total THC

1.144 mg
THC Per Unit

1.144 mg
THC Per Pkg

0.951 %
Total CBD

25.764 mg
CBD Per Unit

25.764 mg
CBD Per Pkg

1.087 %
Total Cannabinoids

29.46 mg
Cannabinoids Per Unit

29.46 mg
Cannabinoids Per Pkg

Cannabinoid Potency


ANALYTE	LOD/LOQ (mg/g)	DIL.	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE	LABEL CLAIM (mg)	% LABEL VAR.
CBC	0.064/0.1954	1	0.072	0.719	1.948	1.948	--	--
CBD	0.064/0.1954	1	0.951	9.507	25.764	25.764	--	--
CBDA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBDV	0.064/0.1954	1	<LOQ	<LOQ	<LOQ	<LOQ	--	--
CBG	0.064/0.1954	1	0.022	0.223	0.604	0.604	--	--
CBGA	0.064/0.1954	1	ND	ND	ND	ND	--	--
CBN	0.064/0.1954	1	<LOQ	<LOQ	<LOQ	<LOQ	--	--
d8-THC	0.064/0.1954	1	ND	ND	ND	ND	--	--
d9-THC	0.064/0.1954	1	0.042	0.422	1.144	1.144	--	--
THCA	0.064/0.1954	1	ND	ND	ND	ND	--	--
THCV	0.064/0.1954	1	ND	ND	ND	ND	--	--

mg/unit = 2.71 (g) per unit x cannabinoid concentration (mg/g)
For inhalation derivative products, Total THC = THC + (0.877 x THCA) and Total CBD = CBD + (0.877 x CBDA)
ND = Not Detected, NT = Not Tested, <LOQ = Below Limit of Quantitation

CANNABINOID TOTALS	WEIGHT %	MG/G	MG/UNIT	MG/PACKAGE
Total THC	0.042	0.422	1.144	1.144
Total CBD	0.951	9.507	25.764	25.764
Total Cannabinoids	1.087	10.871	29.46	29.46

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie FL, 33314
(954) 514-9343





Order #: 70798
Retail Batch #:
08222022

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

Agricultural Agents

GC-MS/MS

PASS

Sample Prep

Tech: 1012
SOP: 402
Batch Number: 55682
Batch Date: 09/01/2022 16:09:23

Sample Analysis

Date/Time: 09/02/2022 17:38:32
Tech: 2816
SOP: 402
Final Weight: 0.5121 g
Volume: 10 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)
Captan	0.01/0.1	1	3	ND
Chlordane	0.01/0.1	1	0.1	ND
Chlorfenapyr	0.01/0.1	1	0.1	ND
Coumaphos	0.01/0.1	1	0.1	ND
Cyfluthrin	0.01/0.1	1	1	ND
Cypermethrin	0.01/0.1	1	1	ND
Methyl parathion	0.01/0.1	1	0.1	ND
Pentachloronitrobenzene	0.01/0.1	1	0.2	ND

MYCOTOXIN ANALYSIS

LC-MS/MS

PASS

Sample Prep

Tech: 3929
SOP: 432
Batch Number: 55683
Batch Date: 09/01/2022 16:33:14


Sample Analysis

Date/Time: 09/02/2022 15:35:49
Tech: 2657
SOP: 424
Final Weight: 0.5112 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	2	20	ND
Aflatoxin B2	2/10	2	20	ND
Aflatoxin G1	2/10	2	20	ND
Aflatoxin G2	2/5	2	20	ND
Ochratoxin A	2/10	2	20	ND

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie FL, 33314
(954) 514-9343





Order #: 70798
Retail Batch #:
08222022

Agricultural Agents

LC-MS/MS

PASS

Sample Prep

Tech: 3929
SOP: 432
Batch Number: 55683
Batch Date: 09/01/2022 16:33:14


Sample Analysis

Date/Time: 09/02/2022 15:35:49
Tech: 2657
SOP: 424
Final Weight: 0.5112 g
Volume: 5 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LEVEL (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
Abamectin B1a	0.002/0.035	2	0.3	ND	Imazalil	0.002/0.01	2	0.1	ND
Acephate	0.002/0.04	2	3	ND	Imidacloprid	0.002/0.002	2	3	ND
Acequinocyl	0.002/0.002	2	2	ND	Kresoxim-methyl	0.002/0.002	2	1	ND
Acetamiprid	0.002/0.002	2	3	ND	Malathion	0.01/0.04	2	2	ND
Aldicarb	0.002/0.01	2	0.1	ND	Metalaxyl	0.002/0.004	2	3	ND
Azoxystrobin	0.002/0.04	2	3	ND	Methiocarb	0.002/0.01	2	0.1	ND
Bifenazate	0.002/0.002	2	3	ND	Methomyl	0.002/0.002	2	0.1	ND
Bifenthrin	0.002/0.002	2	0.5	0.006	Mevinphos	0.009/0.036	2	0.1	ND
Boscalid	0.01/0.05	2	3	ND	Myclobutanil	0.002/0.04	2	3	ND
Carbaryl	0.002/0.004	2	0.5	ND	Naled	0.002/0.01	2	0.5	ND
Carbofuran	0.002/0.01	2	0.1	ND	Oxamyl	0.002/0.002	2	0.5	ND
Chlorantraniliprole	0.002/0.01	2	3	ND	Paclobutrazol	0.002/0.004	2	0.1	ND
Chlormequat chloride	0.002/0.004	2	3	ND	Permethrins	0.002/0.01	2	1	ND
Chlorpyrifos	0.002/0.01	2	0.1	ND	Phosmet	0.002/0.002	2	0.2	ND
Clofentezine	0.002/0.002	2	0.5	ND	Piperonyl Butoxide	0.002/0.002	2	3	ND
Daminozide	0.01/0.04	2	0.1	ND	Prallethrin	0.002/0.01	2	0.4	ND
Diazinon	0.002/0.01	2	0.2	ND	Propiconazole	0.002/0.04	2	1	ND
Dichlorvos	0.002/0.04	2	0.1	ND	Propoxur	0.002/0.01	2	0.1	ND
Dimethoate	0.002/0.002	2	0.1	ND	Pyrethrins	0.001/0.013	2	1	ND
Dimethomorph	0.001/0.002	2	3	ND	Pyridaben	0.002/0.002	2	3	ND
Ethoprophos	0.002/0.01	2	0.1	ND	Spinetoram	0.001/0.003	2	3	ND
Etofenprox	0.002/0.002	2	0.1	ND	Spinosad	0.001/0.001	2	3	ND
Etoxazole	0.002/0.002	2	1.5	ND	Spiromesifen	0.002/0.002	2	3	ND
Fenhexamid	0.01/0.04	2	3	ND	Spirotetramat	0.002/0.01	2	3	ND
Fenoxycarb	0.002/0.004	2	0.1	ND	Spiroxamine	0.002/0.04	2	0.1	ND
Fenpyroximate	0.002/0.002	2	2	ND	Tebuconazole	0.01/0.04	2	1	ND
Fipronil	0.002/0.004	2	0.1	ND	Thiacloprid	0.002/0.002	2	0.1	ND
Flonicamid	0.002/0.01	2	2	ND	Thiamethoxam	0.002/0.01	2	1	ND
Fludioxonil	0.002/0.004	2	3	ND	Trifloxystrobin	0.002/0.002	2	3	ND
Hexythiazox	0.002/0.004	2	2	ND					

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie FL, 33314
(954) 514-9343





Order #: 70798
Retail Batch #:
08222022

CERTIFICATE OF ANALYSIS
ISO/IEC: 17025:2017 Accreditation #:
103104
License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 3929
SOP: 405
Batch Number: 55690
Batch Date: 09/01/2022 17:31:42

Sample Analysis

Date/Time: 09/06/2022 09:44:03
Tech: 2816
SOP: 405
Final Weight: 0.0521 g
Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	<LOQ
Acetonitrile	0.72/25	1	60	ND	Methanol	6/100	1	250	ND
Benzene	0.6/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.5/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	ND	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Trichloroethylene	0.3/1	1	25	ND
Ethyl ether	6/140	1	500	ND	Xylenes	1.8/130	1	150	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

PASS

Sample Prep

Tech: 1012
SOP: 428
Batch Number: 55698
Batch Date: 09/01/2022 21:35:32

Sample Analysis

Date/Time: 09/02/2022 16:23:06
Tech: 3396
SOP: 428
Final Weight: 0.2644 g
Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	ND
Mercury	20/75	1	3000	ND

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
Davie FL, 33314
(954) 514-9343





Order #: 70798
Retail Batch #:
08222022

MICROBIAL ANALYSIS

PASS

Sample Prep

Tech: 2853
SOP: 406

Batch Number: 55699
Batch Date: 09/02/2022 09:09:27

Date/Time: 09/04/2022 17:07:39
Tech: 3358
SOP: 406

Final Weight: 1.0091 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Listeria monocytogenes	qPCR	NA	NOT DETECTED	PASS

Sample Analysis

Sample Prep

Tech: 1012
SOP: 406

Batch Number: 55680
Batch Date: 09/01/2022 16:07:43

Date/Time: 09/03/2022 16:49:35
Tech: 3358
SOP: 406

Final Weight: 1.0172 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Pathogenic e. coli	qPCR	NA	NOT DETECTED	PASS

Sample Analysis

Sample Prep

Tech: 3381
SOP: 406

Batch Number: 55680
Batch Date: 09/01/2022 16:07:43

Date/Time: 09/03/2022 16:49:35
Tech: 3358
SOP: 406

Final Weight: 1.0172 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Sample Analysis

Diana Asensio, M.S.

Lab Director



Florida

4001 SW 47th Avenue, Suite 208
Davie FL, 33314
(954) 514-9343



