

_ _ _ _ _ _

12423 NE Whitaker Way Portland, OR 97230 503-254-1794

Report Number:	22-012259/D002.R000
Report Date:	10/18/2022
ORELAP#:	OR100028
Purchase Order:	Planta Verde Samples
Received:	10/11/22 10:43

_ _ _ _ _ _

Planta Verde **Customer: Product identity:** Cooling Gel CBD- BATCH# PVTRG1.70002 Client/Metrc ID: 22-012259-0006 Laboratory ID:

_ _ _ _ _ _

Summary

Analyte per 1g	Result Li	imits Units	Status	CBD-Total per Serving Size 1047.6 mg/48.5g	
CBD per 1g	21.6	mg/1g			
CBDV per 1g 0.0507 mg/1g		THC-Total per Serving Size <loq< td=""></loq<>			
				(Reported in milligrams per serving)	

www.columbialaboratories.com

Page 1 of 6

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Report Number:	22-012259/D002.R000
Report Date:	10/18/2022
ORELAP#:	OR100028
Purchase Order:	Planta Verde Samples
Received:	10/11/22 10:43

Customer:	Planta Verde 8201 S 48th st Pheonix Arizona 85044 United States of America (USA)
Product identity:	Cooling Gel CBD- BATCH# PVTRG1.70002
Client/Metrc ID:	
Sample Date:	
Laboratory ID:	22-012259-0006
Evidence of Cooling:	No
Temp:	20.3
Relinquished by:	ups
Serving Size #1:	1 g

Sample Results

Potency per 1g	Method: J AOAC 2015 V	98-6 (mod) ^þ	Units mg/se Ba	atch: 2208701	Analyze: 10/13/22 4:10:00 AM
Analyte	Result	Limits	Units	LOQ	Notes
CBC per 1g	< LOQ		mg/1g	0.0316	
CBC-A per 1g	< LOQ		mg/1g	0.0316	
CBC-Total per 1g	< LOQ		mg/1g	0.0593	
CBD per 1g	21.6		mg/1g	0.316	
CBD-A per 1g	< LOQ		mg/1g	0.0316	
CBD-Total per 1g	21.6		mg/1g	0.344	
CBDV per 1g	0.0507		mg/1g	0.0316	
CBDV-A per 1g	< LOQ		mg/1g	0.0316	
CBDV-Total per 1g	0.0758		mg/1g	0.0590	
CBE per 1g	< LOQ		mg/1g	0.0316	
CBG per 1g	< LOQ		mg/1g	0.0316	
CBG-A per 1g	< LOQ		mg/1g	0.0316	
CBG-Total per 1g	< LOQ		mg/1g	0.0590	
CBL per 1g	< LOQ		mg/1g	0.0316	
CBL-A per 1g	< LOQ		mg/1g	0.0316	
CBL-Total per 1g	< LOQ		mg/1g	0.0593	
CBN per 1g	< LOQ		mg/1g	0.0316	
CBT per 1g	< LOQ		mg/1g	0.0316	
$\Delta 8$ -THCV per 1g	< LOQ		mg/1g	0.0316	
$\Delta 10$ -THC per 1g	< LOQ		mg/1g	0.0316	
$\Delta 8$ -THC per 1g	< LOQ		mg/1g	0.0316	
∆9-THC per 1g	< LOQ		mg/1g	0.0316	
exo-THC per 1g	< LOQ		mg/1g	0.0316	
THC-A per 1g	< LOQ		mg/1g	0.0316	
THC-Total per 1g	< LOQ		mg/1g	0.0593	
THCV per 1g	< LOQ		mg/1g	0.0316	
THCV-A per 1g	< LOQ		mg/1g	0.0316	
THCV-Total per 1g	< LOQ		mg/1g	0.0593	
Total Cannabinoids per 1g	g 19.7		mg/1g		

Page 2 of 6 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Report Number: 22-012259/D002.R000 Report Date: 10/18/2022 **ORELAP#:** OR100028 Purchase Order: Planta Verde Samples **Received:** 10/11/22 10:43

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

^b = ISO/IEC 17025:2017 accredited method.

Units of Measure

g = gmg/1g = Milligram per 1g% = Percentage of sample % wt = $\mu g/g$ divided by 10,000

Approved Signatory

Derrick Tanner General Manager

www.columbialaboratories.com

Page 3 of 6

equirements of NELAP and the Columbia Laboratories quality assurance plan Test results relate only to the parameters tested and to the samples as received by unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made



Report Number:	22-012259/D002.R000
Report Date:	10/18/2022
ORELAP#:	OR100028
Purchase Order:	Planta Verde Samples
Received:	10/11/22 10:43

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	y Quality Co					
JAOAC2015 V9										
Laboratory Cont										
Analyte	LCS	Result	Spike	Units	%Rec		Limits	;	Evaluation	Notes
CBDVA	2	0.0377	0.034	%	110	80.0	-	120	Acceptable	
CBDV	2	0.0395	0.037	%	108	80.0	-	120	Acceptable	
CBE	2	0.0380	0.035	%	109	80.0	-	120	Acceptable	
CBDA	1	0.0322	0.033	%	96.2	90.0	-	110	Acceptable	
CBGA	1	0.0324	0.034	%	96.7	80.0	-	120	Acceptable	
CBG	1	0.0335	0.034	%	97.5	80.0	-	120	Acceptable	
CBD	1	0.0332	0.034	%	97.1	90.0	-	110	Acceptable	
THCV	2	0.0406	0.038	%	108	80.0	-	120	Acceptable	
d8THCV	2	0.0401	0.037	%	109	80.0	-	120	Acceptable	
THCVA	2	0.0367	0.034	%	109	80.0	-	120	Acceptable	
CBN exo-THC	1	0.0331	0.034	%	98.3	90.0	-	110	Acceptable	
		0.0369			108	80.0	-	120	Acceptable	
d9THC d8THC	1	0.0346	0.035	%	100	90.0	-	110	Acceptable	
CBL	1	0.0349	0.033	%	104	90.0	-	110	Acceptable	
d10THC	1	0.0355	0.033	%	108	80.0	-	120	Acceptable Acceptable	
CBC	2	0.0311	0.032	%	97.6	80.0	-	120	Acceptable	
THCA	1	0.0398	0.036	%	110	80.0	-	120	Acceptable	
CBCA	2	0.0317	0.035	%	95.8 109	90.0	-	110	Acceptable	
CBLA	2	0.0381 0.0203	0.033	%		80.0	-	120	Acceptable	
CBT	2	0.0203	0.013	%	109 109	80.0 80.0	-	120 120	Acceptable	
Method Bank	-	0.0405	0.037	70	109	60.0	-	120	Ассерцийс	
Analyte	R	esult	LOQ		Units		Limits		Evaluation	Notes
CBDVA	<	LOQ	0.003	1	%	<	< 0.003		Acceptable	
CBDV	<	LOO	0.003		%	< 0.003		Acceptable		
CBE	<	LOQ	0.003		%	<	< 0.003		Acceptable	
CBDA	<	LOQ	0.003		%	<	< 0.003		Acceptable	
CBGA	<	LOQ	0.003		%	< 0.003		Acceptable		
CBG	<	LOQ	0.003		%	<	0.003		Acceptable	
CBD	<	LOQ	0.003	1	%	<	0.003		Acceptable	
THCV		LOQ	0.003		%		0.003		Acceptable	
d8THCV	<	LOQ	0.003		%	<	0.003		Acceptable	
THCVA		LOQ	0.003	1	%		0.003		Acceptable	
CBN		LOQ	0.003		%		0.003		Acceptable	
exo-THC		LOQ	0.003		%		0.003		Acceptable	
d9THC		LOQ	0.003		%		0.003		Acceptable	
d8THC		LOQ	0.003		%		0.003		Acceptable	
CBL		LOQ	0.003		%		0.003		Acceptable	
d10THC		LOQ	0.003		%		0.003		Acceptable	
		LOQ	0.003		%		0.003		Acceptable	
				%		<	0.003		Acceptable	
THCA	<	LOQ	0.003							
CBC THCA CBCA	<	LOQ	0.003		%		0.003		Acceptable	
THCA	< < <					<	0.003		Acceptable Acceptable Acceptable	

s ND - None Detected at or above MRL RPD - Relative Percent Difference LOQ - Limit of Quantitation

Units of Measure: % - Percent

Page 4 of 6 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Report Number:	22-012259/D002.R000
Report Date:	10/18/2022
ORELAP#:	OR100028
Purchase Order:	Planta Verde Samples
Received:	10/11/22 10:43

Revision: 1 Document ID: 7148 Legacy ID: Worksheet Validated 04/20/2021

			La	boratory	Quality Con	trol Results		
JAOAC2015 V986	Batch ID: 2208701							
Sample Duplicate	Sample ID: 22-0122530001							
Analyte	Result	Org. Reult	LOQ	Units	RFD	Limits	Evaluation	Notes
CBDVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDV	0.0860	0.0865	0.003	%	0.593	< 20	Acceptable	
CBE	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBDA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBGA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBG	0.0861	0.0882	0.003	%	2.45	< 20	Acceptable	
CBD	17.1	17.2	0.003	%	0.627	< 20	Acceptable	
THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d8THCV	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
THCVA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBN	0.0881	0.0888	0.003	%	0.807	< 20	Acceptable	
exo-THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
d9THC	0.0135	0.0137	0.003	%	1.15	< 20	Acceptable	
d8THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBL	0.0092	0.0101	0.003	%	8.58	< 20	Acceptable	
d10THC	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBC	0.134	0.134	0.003	%	0.320	< 20	Acceptable	
THCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBCA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBLA	<loq< td=""><td><loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<></td></loq<>	<loq< td=""><td>0.003</td><td>%</td><td>NA</td><td>< 20</td><td>Acceptable</td><td></td></loq<>	0.003	%	NA	< 20	Acceptable	
CBT	0.196	0.197	0.003	%	0.474	< 20	Acceptable	

ND - None Detected at or above MRL RPD - Relative Percent Difference

LOQ - Limit of Quantitation

Units of Measure:

Page 5 of 6 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made. Testing in accordance with: OAR 333-007-0430



Report Number: 22-012259/D002.R000 **Report Date:** 10/18/2022 **ORELAP#:** OR100028 Purchase Order: Planta Verde Samples 10/11/22 10:43 **Received:**

Explanation of QC Flag Comments:

Code	Explanation
Q	Matrix interferences affecting spike or surrogate recoveries.
Q1	Quality control result biased high. Only non-detect samples reported.
Q2	Quality control outside QC limits. Data considered estimate.
Q3	Sample concentration greater than four times the amount spiked.
Q4	Non-homogenous sample matrix, affecting RPD result and/or % recoveries.
Q5	Spike results above calibration curve.
Q6	Quality control outside QC limits. Data acceptable based on remaining QC.
R	Relative percent difference (RPD) outside control limit.
R1	RPD non-calculable, as sample or duplicate results are less than five times the LOQ.
R2	Sample replicates RPD non-calculable, as only one replicate is within the analytical range.
LOQ1	Quantitation level raised due to low sample volume and/or dilution.
LOQ2	Quantitaion level raised due to matrix interference.
В	Analyte detected in method blank, but not in associated samples.
B1	The sample concentration is greater than 5 times the blank concentration.
B2	The sample concentration is less than 5 times the blank concentration.

 www.columbialaboratories.com
 Page 6 of 6

 Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

 Testing in accordance with:
 OAR 333-007-0430